

HPE Aruba Networking 630 Series Campus Access Points

HPE Aruba Networking AP-635 (EG) Tri Radio 2x2 802.11ax Wi-Fi 6E
Internal Antennas Campus AP (R7J24A)



What's new

- Three radios to extend the benefits of Wi-Fi 6E to the 6 GHz band
–unlocking up to 1200 MHz of spectrum.
- Wider channels and less interference to deliver faster speeds for low-latency, bandwidth-hungry applications like high-definition video and augmented reality/virtual reality.
- Unique filtering capabilities to mitigate gaps in coverage and help

Overview

HPE Aruba Networking 630 Series Campus Access Points are designed to take advantage of the 6 GHz band using three radios for comprehensive tri-band coverage. With 6 GHz, wireless capacity is more than doubled allowing enterprises to meet the today needs and plan for future growth. The Wi-Fi 6E APs allow countries to take advantage of Wi-Fi 6E once it is approved in country through automated notification and easy deployment of 6 GHz regulatory tables.

The 630 Series delivers a maximum aggregate 3.9 Gbps data rate for higher throughput and faster speeds for fixed low power indoor use. With up to seven 160 MHz channels, the 630 APs maximizes performance for low-

minimize interference between the 5 GHz and 6 GHz bands.

- High availability with hitless failover for Ethernet and power to help ensure business continuity.
- Automated notification and easy deployment of 6 GHz regulatory tables to allow countries to take advantage of Wi-Fi 6E once it is approved in country.

latency, bandwidth-hungry applications. The ultra tri-band filtering eliminates interference between 5 GHz and 6 GHz and prevents gaps in channel coverage. To ensure high availability, the 630 Series includes dual port hitless failover for ethernet and power.

Features

More Capacity and Wider Channels with Wi-Fi 6E

The HPE Aruba Networking 630 Series Campus Access Points deliver a maximum aggregate 3.9 Gbps data rate for higher throughput and faster speeds.

With up to seven 160 MHz channels, the APs help maximize performance for low-latency, bandwidth-hungry applications.

It is designed for low power indoor environments (LPI).

Less Interference and Fewer Coverage Gaps

The HPE Aruba Networking 630 Series Campus Access Points provide comprehensive tri-band coverage using three radios.

The HPE Aruba Networking unique ultra tri-band filtering mitigates interference among 5 GHz and 6 GHz radios and prevents gaps in channel coverage.

Since only Wi-Fi 6E enabled devices can operate in the 6 GHz band, it is less congested with no interference from legacy devices.

Extends capabilities of Wi-Fi 6 (802.11ax) APs

HPE Aruba Networking 630 Series Campus Access Points are based on the 802.11ax standard so multi-user efficiency and security features are applied to Wi-Fi 6E.

Unique HPE Aruba Networking capabilities include ClientMatch, Advanced Cellular Coexistence, and Intelligent Power Monitoring to optimize user experience and energy use.

Ensures Business Continuity and High Availability

High availability with two HPE Smart Rate Ethernet ports for 1-2.5 Gbps to offer true hitless failover for both data and power.

Cloud, controller, or controllerless operation modes address all campus, branch and remote use cases.

Technical specifications		HPE Aruba Networking AP-635 (EG) Tri Radio 2x2 802.11ax Wi-Fi 6E Internal Antennas Campus AP
Product Number	R7J24A	
Differentiator	Available in Egypt only	
Certifications	UL2043 plenum rating Wi-Fi Alliance Wi-Fi CERTIFIED a, b, g, n, ac Wi-Fi CERTIFIED 6E (ax, 6GHz) WPA, WPA2 and WPA3 – Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Vantage, W-Fi Agile Multiband Wi-Fi Location Passpoint (release 2) Bluetooth SIG Ethernet Alliance (POE, PD device, class 5)	
Input voltage	12 Vdc (+/- 5%) or 48 Vdc (nominal) PoE	
Regulatory	FCC/ISED; CE Marked; RED Directive 2014/53/EU; EMC Directive 2014/30/EU; Low Voltage Directive 2014/35/EU; UL/IEC/EN 60950 IEC/EN 62368-1; EN 60601-1-1, EN60601-1-2	
Wi-Fi antenna	Two integrated dual-band downtilt omni-directional antennas for 2x2 MIMO with peak antenna gain of 4.6d Bi in 2.4 GHz, 7.0 dBi in 5 GHz and 6.3 dBi in 6 GHz. Built-in antennas are optimized for horizontal ceiling mounted orientation of the AP. The downtilt angle for maximum gain is roughly 30 degrees. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 2.9 dBi in 2.4 GHz, 4.9 dBi in 5 GHz and 4.3 dBi in 6 GHz.	
Heat dissipation	66.3 BTU/hr worst case (PoE powered), 57.9 BTU/hr worst case (DC)	
Connectivity, standard	Wi-Fi 6E (IEEE 802.11ax) WLAN: tri radio, 2.4 GHz, 5 GHz and 6 GHz (concurrent) 802.11ax 2x2 MIMO Bluetooth Low Energy (BLE5.0) and Zigbee (802.15.4) radio	
Ports	EO, E1: Two Ethernet wired network ports (RJ-45) Auto-sensing link speed (100/1000/2500BASE-T) and MDI/MDX 2.5Gbps speed complies with NBase-T and 802.3bz specifications POE-PD: 48Vdc (nominal) 802.3af/at/bt POE (class 3 or higher) 802.3az Energy Efficient Ethernet (EEE)	
Mounting	A mounting bracket has been pre-installed on the back of the AP. This bracket is used to secure the AP to any of the mount kits (sold separately).	
Power consumption	23.8 W worst case (POE powered), 20.7 W worst case (DC). Excludes power needed to supply up to 5W to an attached USB device.	
Radio coverage	Indoor, tri radio, 2.4 GHz, 5 GHz and 6 GHz (concurrent) 802.11ax 2x2 MIMO	
Warranty	Limited lifetime warranty. See the warranty duration.	
Product dimensions	220mm (W) x 220mm (D) x 50mm (H)	
Weight	1300g	

[1] Bluetooth is a trademark owned by its proprietor and used by Hewlett Packard Enterprise under license. All third-party marks are property of their respective owners

HPE Aruba Networking Services

HPE Aruba Networking services simplify and accelerate the network technology lifecycle, enabling your network to scale with better predictability and cost-effectiveness. Whether you operate your own network and need to improve your IT efficiencies, or you want to offload some of the burden, we have the services you need to reach your goals.

Learn more about what HPE Services - Aruba Networking has to offer at: hpe.com/edge/services

Support Services

Our support portfolio provides the essential support elements as well as proactive and preventive features to help you improve your team's productivity and get the most from your network. Our support customers benefit from faster issue resolution, simplified operations and efficiencies, and reduced network issues.

Professional Services

With deep intellectual capital and purpose-built tools, our team delivers a range of standard and custom professional services designed to accelerate your value from HPE Aruba Networking technology.

Project based services include:

- Planning, audit, and assessment
- Architecture review and design
- Deployment, migration, and knowledge transfer

Annual subscription services include:

- Network optimization
- Intelligent Operations
- Customer Experience Management

Our [Education Services](#) allow your team to come up to speed quickly.

HPE GreenLake for Networking

Our NaaS solution, is part of the HPE GreenLake services family, and simplifies network operations, accelerates equipment handling, and increases the value of your HPE Aruba Networking solution. If you need expert guidance and automation-based operations for your team, please explore our NaaS approach through HPE GreenLake for Networking.

For additional technical information,
available models and options, please
reference the QuickSpecs

Visit [HPE.com](https://www.hpe.com)

Chat now

© Copyright 2025 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Image may differ from the actual product.

PSN1013609537BEEN, September, 2025.

HEWLETT PACKARD ENTERPRISE

[hpe.com](https://www.hpe.com)

